

Forest Service

Southern Forest Experiment Statlon

New Orleans, Louisiana

Resource Bulletin **\$0-162** 



# Forest Statistics for Southeast Louisiana Parishes — 1991

James F. Rosson, Jr., Patrick E. Miller, and John S. Vissage



### **FOREWORD**

The USDA-Forest Service, Southern Forest Experiment Station, Forest Inventory and Analysis unit (SOFIA), conducts forest inventories covering the States of Alabama, Arkansas, Louisiana, Mississippi, East Oklahoma, Tennessee, and East Texas, and the island of Puerto Rico.

The **SO-FIA** forest inventories are part of a nationwide effort originally authorized by the **McSweeney-McNary** Act of 1928. More recent legislation pertinent to the SO-FIA mission includes the Forest and Rangeland Renewable Resources Planning Act of 1974 and the Forest and Rangeland Renewable Resources Research Act of 1978. The SO-FIA mission is to develop, analyze, and maintain forest resource information that is essential for formulation of forest policies and programs.

### **ACKNOWLEDGMENTS**

The Southern Station gratefully acknowledges the cooperation of public agencies and private landowners in providing access to measurement plots.

The following members of the SO-FIA field staff completed the field measurements:

Robert Clement	Jack London	Brian Slagle
Keith Coursey	Larry Mahler	Tim Slone
Russell Cruff	Pattie Mitschke	Gary Sullivan
James Flue	Steve <b>Overton</b>	George Thornton
Andy <b>Hartsell</b>	Michael Pond	Marty Wallace
Derrick <b>Heckman</b>	Randal Prewitt	Larry <b>Westrick</b>
Anthony Holland	Lynn Rodrigue	
Todd Hoopes	Thomas Shipkey	

# **CONTENTS**

INTRODUCTION	1
METHODS	1
STATISTICAL RELIABILITY	2
HIGHLIGHTS	2
APPENDIX	3
Definition of Terms	3
Core Tables (1-25) <sup>1</sup>	
Supplemental Tables (26-43)	
Figures (1-9)	.29

<sup>&#</sup>x27;Core tables are presented in response to the Southern Industrial Forestry Research Council's recommendations. These tables are identical among Forest Inventory and Analysis units in the eastern United States.



Figure I. - Forest survey regions in Louisiana

# Forest Statistics for Southeast Louisiana Parishes — 1991

James F. Rosson, Jr., Patrick E. Miller, and John S. Vissage

### INTRODUCTION

Tabulated results were derived from data obtained from a 1991 continuous forest inventory of Southeast Louisiana parishes (fig.I). Core tables (1 to 25) are compatible among Forest Inventory and Analysis units in the Eastern U.S. Supplemental tables (26 to 43) provide information beyond that provided by the core tables. All comparisons between the 1991 and 1984 surveys are based upon reprocessed 1984 data.

#### **METHODS**

The estimates of timberland area, volume, growth, removals, and mortality for the Southeast Louisiana parishes are based upon the latest and most up-to-date inventory techniques available. There are important differences in the methods used between the 1984 and 1991 inventories. In many cases, improvements in methodology for deriving current estimates can raise concerns about trends between survey periods. Because these differences might appear to cloud the comparisons between 1984 and 1991 results, the major differences in procedures are documented below.

First, the 1984 inventory used 5 satellite points per plot, the 1991 inventory used 10 points. This should affect comparisons of the Southeast Louisiana unit totals very little, but caution should be used when analyzing smaller aggregations of data.

Second, the 1984 survey used regression equations to estimate volume. The coefficients were based upon deterministic tree measurements from a small number of sample plots. Volumes for the 1991 survey were derived from deterministic measurements made on all trees ≥5.0 inches diameter at breast height (d.b.h.) on all plots.

Third, the classification of trees into growing-stock, rough, or rotten classes has been modified in two ways to ensure compatibility among the eastern Forest Inventory and Analysis units. (1) Currently, any tree that contains or is capable of producing one 12-foot or two 8-foot logs anywhere in the sawlog portion of the tree is classified as growing stock. The 1984 survey classified growing-stock trees as those that had or were capable of producing a 12-foot log only in the butt 16-foot section. (2) The 1984 survey required that over one-half of the sawlog volume (or prospective volume) had to be utilizable. The current standard is that one-third of the sawlogvolume in the sawlog

portion of the tree has to be utilizable in order for the tree to be classed as growing stock.

Using 5 or 10 satellite points per plot has little effect on volume totals for the unit because of the large sample size (296 plots in Southeast Louisiana). Test runs comparing the results of volume equations and deterministic measurements have also demonstrated very little difference between methods. Here again, a large sample size enhances precision (5,358 sample trees ≥ 5.0 inches d.b.h. in Southeast Louisiana).

The first change in the growing-stock definition (log position) did affect direct comparisons between 1984 and 1991 estimates. To compensate for this definition change, the 1984 inventory data were reprocessed to be compatible with the 1991 growing-stock standard. The total number of trees affected by the definition change is small, and mostly hardwoods because of growth habit. It was not possible to classify all trees by the new growing-stock definition in the 1984 or 1991 data. Some trees died or were cut between measurement periods. Since these trees are gone, cruisers had no way of determining what the classification of these trees would be under the new standard. Therefore, the tree class previously assigned was maintained throughout the compilation process on mortality trees, on rough trees that were cut and not used, and on rotten trees that were cut. All rough trees that were cut and used were reclassified as growing stock.

The second growing-stock definition modification (changing from one-half to one-third sound) had virtually no impact. Only 37 trees out of 3,442 sawlog-sized trees had sound volume in the range of ≥ 33 percent but < 50 percent. Of these, 31 were reprocessed to resolve log position differences stated earlier. Only 6 trees (0.17 percent of all sample trees) affected by this definition change remain, a very minor component having little effect on growing-stock trends.

Users interested in trend analysis of growing-stock volume, growth, removals, and mortality between the 1984 and 1991 surveys should be aware of the impact of the growing-stock definition change. The incompatibility arises from trees that were cut or died, impacting growth, removals, and mortality estimates, The magnitude is, most likely, small but not possible to define with certainty.

Growing-stock comparisons between the 1984 reprocessed data and the 1991 data are valid for most general applications. **However**, in a more rigorous analysis it is important to make sure the changes are real and not due to

Table I-Sampling errors for timberland, live trees, growing stock, and sawtimber, Southeast Louisiana Parishes, 1991

			Live trees			Growing stoc	k	Sawtimber
Parish Tin	Timberland	Volume	Growth	Removals	Volume	Growth	Removals	volume
(				Percent				
East Baton Rouge	3.3	12.8	13.9	(2)	14.6	19.2	(2)	17.4
East Feliciana	3.7	14.3	17.4	34.2	15.2	19.8	34.2	18.0
Livingston	1.5	7.9	13.1	28.9	8.2	11.7	30.1	11.8
St. Helena	3.5	14.8	12.7	30.7	15.0	14.0	31.8	19.3
St. Tammany	2.0	9.6	14.8	27.4	9.8	13.6	27.7	12.7
Tangipahoa	2.7	145	13.7	22.1	15.6	13.2	22.8	19.9
Washington	2.1	13.6	14.8	29.7	14.0	13.5	29.1	21.0
All parishes	1.0	4.6	5.6	11.8	4.8	5.5	12.1	6.4

<sup>&</sup>lt;sup>1</sup>By random-sampling formula.

definition changes. In such instances the comparisons between surveys should be done using all live trees. This procedure eliminates any uncertainties caused by the growing-stock definition changes. Finally, to further enhance trend analysis, a slight improvement in precision was made in the 1984 volume estimates by using all the deterministic measurements from the 1991 survey to develop new volume coefficients. Therefore, because of the change in the growing-stock standard and the improved volume coefficients, estimates for the reprocessed 1984 data may differ slightly from those previously published.

#### STATISTICAL RELIABILITY

The sampling methods were designed to give reliable estimates of area andvolume at the State level in accordance with acceptable sampling error standards. Subsequently, the sampling error of the estimates increases as the area or volume under consideration decreases. The sampling errors presented in table I are equal to one standard deviation for the sample data.

Results are reported by individual parishes, thereby allowing computation of statistical confidence for any combination of parishes. Sampling error may be estimated by using the following formula:

$$SE, = \frac{SE_{t}\sqrt{X_{t}}}{\sqrt{X_{g}}}$$

where:

SE = standard error of estimate

(expressed as a percentage)

X = variable of interest

(area or volume)

g = group of parishes to be combined

t = total for the unit.

For example, statistics for growing-stock volume in Livingston, St. **Tammany,** and Tangipahoa parishes are derived as follows:

$$SE$$
, =  $\frac{4.8 \sqrt{2,313.0}}{\sqrt{1,337.2}}$  =  $\frac{4.8 \times 48.09}{36.57}$  = 6.3 percent

The 95-percent confidence interval is:

$$1,337.2 \pm 1.96 \quad (0.063 \times 1,337.2) = 1,337.2 \pm 165.1$$

The sampling error for growing-stock volume for the three parishes is 6.3 percent. The **95-percent** confidence interval is **1,172.1** to **1,502.3** million cubic feet. This interval covers the true growing-stock inventory volume for these three parishes unless a 1 in **20** chance of a random event has occurred

### HIGHLIGHTS

Timberland Area

Currently, the estimate for timberland area is **1,763.7** thousand acres. This is only a slight increase from the 1984 estimate of **1,751.2** thousand acres.

Forest **Type** 

The predominant forest type in the Southeast Louisiana unit is loblolly-shortleaf pine at 566.7 thousand acres. The oak-gum-cypress type is next in amount of acreage occupied, 492.9 thousand acres. These two types comprise 60 percent of the unit's timberland acreage, 32 and 28 percent respectively.

# Ownership

Forest industry acreage has continued its downward trend from the 1974 to 1984 survey. Current acreage is 545.6 thousand acres. This estimate includes private land leased to forest industries. Nonindustrial, privately owned timberland increased slightly to **1,164.9** thousand acres.

<sup>&</sup>lt;sup>2</sup>Sampling error greater than 50.

Table II-Components of annual change in the volume of live trees by inventory period and species group, Southeast Louisiana Parishes, 1991

Inventory pariod		Gross growth	
Inventory <b>period</b> and species group	Net growth	Mortality	Removals
		Million cubic feet	
1974 to 1983:			
Softwoods	76.5	8.6	60.8
Hardwoods	27.8	21.0	15.8
Total	104.3	29.6	76.6
1984 to 1991:			
Softwoods	77.3	10.3	97.6
Hardwoods	40.2	17.4	17.8
Total	117.5	27.7	115.4

### Stand Size

Sawtimber stands account for 53 percent of the unit's timberland acreage, a slight increase since 1984. The acreage of sapling-seedling stands also decreased slightly to 425.6 thousand acres.

# Artificial Regeneration

There are 251.5 thousand acres of softwood forest types that originated from artificial regeneration, an 87.5-thousand-acre increase since the 1984 inventory.

#### Softwood volume

Softwood live-tree volume is currently **1,270.6** million cubic feet, a **148.9-million-cubic-foot** decline (10 percent) from that reported in 1984. Sawtimber volume is **5,657.3** million board feet.

#### Hardwood Volume

Hardwood live-tree volume is **1,286.4** million cubic feet, a **14-percent** increase over that reported in 1984 **(1,134.5** million cubic feet), Sawtimber volume is **3,537.6** million board feet.

#### Growth

Softwood live-tree gross growth averaged 87.6 million cubic feet per year, a very slight increase over that reported for the previous survey period (85.1 million cubic feet per year). Current growth equals 50 cubic feet per acre per year averaged over all timberland in the Southeast Louisiana unit (table II).

Hardwood live-tree gross growth averaged 57.6 million cubic feet per year, an **8.8-million-cubic-foot** increase (18 percent) over that of the previous survey period. Current growth averages 33 cubic feet per acre per year for all timberland (table II).

#### Removals

Softwood live-tree removals have increased markedly from those reported in the last survey. Currently, 97.6 million cubic feet per year are being removed for the survey period. The previous survey reported **only 60.8** million cubic feet per year as removals (table II).

Hardwood live-tree removals have increased only slightly, from 15.8 to 17.8 million cubic feet per year (table II).

# Mortality

Softwood live-tree mortality has increased only slightly, from 8.6 to 10.3 million cubic feet. In contrast, hardwood mortality has decreased, from 21.0 to 17.4 million cubic feet (table II).

# Stand Structure

The average basal area of live trees in the unit's forests has decreased from 87.9 square feet per acre to 82.1 square feet per acre. Most of this decrease can be accounted for in the softwood portion of sawtimber-sized stands.

The number of live trees has changed only slightly between the survey periods. Total number of live trees decreased by 7 percent with most of the decrease in the 2- and 4-inch diameter softwoods. No substantial shifts in stand structure by diameter class were evident.

### **APPENDIX**

# **Definition of Terms**

# Forest Land Classes

**Forest land** — Land at least 16.7 percent stocked by forest trees of any size, or formerly having such tree cover, and not currently developed for nonforest uses. Minimum area considered for classification is one acre. Forest land is divided into a commercial category: timberland; and two

noncommercial categories reserved timberland or woodland.

**Timberland-Forest** land that is producing, or is capable of producing, crops of industrial wood and not withdrawn from timber utilization. Timberland is synonymous with "commercial forest land" in prior reports.

**Reserved timberland-Productive** public forest land withdrawn from timber utilization through statute or administrative regulations.

**Woodland-** Forest land incapable of yielding crops of industrial wood because of adverse site conditions.

# Ownership Classes

**National Forest** land-Federal lands that have been legally designated as National Forests or purchase units and other lands under the administration of the Forest Service, including experimental areas.

Other federal land-Federal lands other than National Forests.

**State, county, and municipal** lands-Lands owned by States, counties and local public agencies or municipalities, or lands leased to these governmental units for 50 years or more.

**Forest industry land** -Lands owned by companies or individuals operating wood-using plants (either primary or secondary).

**Farmer-owned land** -Lands operated as a unit of 10 acres or more and from which the sale of agricultural products totals \$1,000 or more annually.

**Nonindustrial private land (individual)** — Lands privately owned by individuals other than forest industries, farmers, or miscellaneous private corporations.

**Nonindustrial private land (corporate)** — Lands privately owned by private corporations other than forest industries and incorporated farms.

#### **Forest Types**

**Longleaf-slash pine** – Forests in which longleaf or slash pine, singly or in combination, comprise a plurality of the stocking. Common associates include other southern pines, oaks, and gums.

**Loblolly-shortleaf pine** — Forests in which pines (except **longleaf** or slash pine) and eastern **redcedar** singly or in combination, comprise a plurality of the stocking. Common associates include oaks, hickories, and gums.

**Oak-pine-Forests** in which hardwoods (usually upland oaks) comprise a plurality of the stocking, but in which softwoods, except cypress, comprise 25-49 percent of the stocking. Common associates include gums, hickories, and yellow-poplar.

**Oak-hickory** — Forests in which upland oaks or hickories, singly or in combination, comprise a plurality of the stocking except where pines comprise 25-50 percent in which case

the stand would be classified oak-pine. Common associates include yellow-poplar, elms, maples, and black walnut.

**Oak-gum-cypress** — Bottomland forests in which tupelo, blackgum, sweetgum, oaks, or southern cypress, singly or in combination, comprise a plurality of the stocking except where pines comprise 25-50 percent, in which case the stand would be classified oak-pine. Common associates include cottonwood, willow, ashes, elms, hackberries, and maples.

**Elm-ash-cottonwood-Forests** in which elms, ashes, or cottonwood, singly or in combination, comprise a plurality of the stocking. Common associates include willow, sycamore, beech, and maples.

**Nontyped** – Timberland currently unoccupied with any live trees or seedlings, e.g., very recent **clearcut** areas.

#### Tree Classes

**Commercial** species-Tree species currently or potentially suitable for industrial wood products. Excluded are noncommercial species.

**Noncommercial species** -Tree species of typically small size, poor form, or inferior quality which normally do not develop into trees suitable for industrial wood products.

Growing-stock trees-Living trees of commercial species. Trees must have one 12-foot or two S-foot logs currently or potentially to be classed as growing stock. The log(s) must meet dimension and merchantability standards to qualify. Trees must also have, currently or potentially (if too small to qualify), one-third of the gross board-foot volume in sound wood.

**Rough trees** – Live trees of commercial species that are unmerchantable for sawlogs currently or potentially because of roughness or poor form in the sawlog section. Also included are all live trees of noncommercial species. See growing-stock definition.

*Rotten trees-Live* trees of commercial species that are unmerchantable for sawlogs currently or potentially because of rot deduction in the sawlog section. See growing-stock definition.

Cull trees-Rough or rotten trees.

**Hardwoods** – Dicotyledonous trees, usually broad leaved and deciduous.

**Softwoods** — Coniferous trees, usually evergreen, having needle or scalelike leaves.

**Live trees** — All trees alive. Included are all size classes (≥ 1.0 inch d.b.h.), all tree classes, and both commercial and noncommercial species.

**Salvable dead trees** -Standing or downed dead trees that were formerly growing stock and are considered merchantable. Trees must be  $\geq 5.0$  inches d.b.h. to qualify.

## **Dimension Classes of Trees**

**Sawtimber trees** -Trees 9.0 inches and larger in d.b.h. for softwoods, and 11.0 inches and larger for hardwoods.

**Poletimbertrees** – 5.0 to 8.9 inches in d.b.h. for softwoods and 5.0 to 10.9 inches d.b.h. for hardwoods.

Saplings - Trees 1.0 inch to 4.9 inches in d.b.h.

Seedlings-Trees which are less than 1.0 inch in d.b.h. and greater than 1 foot tall for hardwoods, greater than 6 inches tall for softwoods, and greater than 1/2 inch in diameter at ground level for longleaf pine.

Rough, rotten, and salvable dead trees — See "tree classes."

#### Stand-Size Classes

**Sawtimber stands** -Stands at least 16.7 percent stocked with live trees, half or more of this stocking in sawtimber or poletimber trees, and with sawtimber stocking at least equal to poletimber stocking.

**Poletimber stands** -Stands at least 16.7 percent stocked with live trees, half or more of this stocking in sawtimber or poletimber trees, and with poletimber stocking exceeding that of sawtimber stocking.

**Sapling-seedling start&-Stands** at least 16.7 percent stocked with live trees, **more** than half of this stocking in saplings or seedlings.

**Nonstocked stands** – **Stands** less than 16.7 percent stocked with live trees.

# Stocking

Stocking is a measure of the extent to which the growth potential of the site is utilized by trees or preempted by vegetative cover. Stocking is determined by comparing the stand density in terms of number of trees or basal area with a specified standard. Therefore, full stocking is 100 percent of the stocking standard.

The following tabulation by size class shows the density standard in terms of trees required per acre, for full stocking:

D.b.h. (inches)	Number of trees	D.b.h. (inches)	Number of trees
Seedlings	600	16	72
2	560	18	60
4	460	20	51
6	340	22	42
8	240	24	36
10	155	26	31
12	115	28	<b>•</b> 27
14	90	30	24

#### Volume

**Volume of** cull-Volume of sound wood in the bole of rough and rotten trees.

**Volume of growing stock** — Volume of sound wood in the bole of growing-stock trees from a 1-foot stump to a minimum **4.0-inch** top outside bark or to the point where the central stem breaks into limbs. Rough, rotten, and

noncommercial trees are excluded. By definition, trees must be  $\geq 5.0$  inches d.b.h.

Volume of sawtimber- Net volume of the sawlog portion of live sawtimber trees in board feet of the International 1/4-inch rule. Net volume equals gross volume less deductions for rot, sweep, and other defects that affect use for lumber to the point where the central stem breaks into limbs. Rough, rotten, and noncommercial trees are excluded.

**Volume of live** trees -The volume of sound wood in the bole of growing stock, rough, and rotten trees ≥ 5.0 inches d.b.h. from a 1-foot stump to a minimum **4.0-inch** top diameter outside bark or to the point where the central stem breaks into limbs.

### **Growth Classes**

**Gross growth** -Total increase in stand volume computed on growing-stock trees or live trees  $\geq 5.0$  inches d.b.h. Gross growth equals survivor growth plus **ingrowth** plus growth on removals plus growth on mortality plus cull increment plus mortality.

Net *growth* -Increase in stand volume, computed on growing-stock trees or live trees  $\geq 5.0$  inches d.b.h. Net growth is equal to gross growth minus mortality.

**Net change** — Increase or decrease in stand volume, computed on growing-stock trees or live trees  $\geq 5.0$  inches d.b.h. Net change is equal to net growth minus removals.

### **Miscellaneous Definitions**

**Basal area** — The area in square feet of the cross section at breast height of a single tree or of all the trees in a stand, usually expressed in square feet per acre.

*D.b.h.* (diameter at breast height)-Tree diameter in inches, outside bark, measured at 4 1/2 feet above ground.

**Diameter classes**- The 2-inch diameter classes extend from 1.0 inch below to 0.9 inches above the stated midpoint. Thus, the **12-inch** class includes trees 11.0 inches through 12.9 inches d.b.h.

**D.o.b.** (diameter outside bark) -Stem diameter including bark.

*Mortality* – Number or sound-wood volume of live trees dying from natural causes during a specified period.

**Plantations** – Stands evidenced by regeneration from planting or artificial seeding.

**Sawlog portion** -That part of the bole of a sawtimber tree between a 1-foot stump and the **sawlog** top.

**Sawlog** top-The point on the bole of a sawtimber tree above which a **sawlog** cannot be produced. The minimum **sawlog** top is 7.0 inches d.o.b. for softwoods and 9.0 inches d.o.b. for hardwoods.

**Select red oaks.** -A classification of several red oak species composed of: cherrybark, Shumard, and northern red oaks.

Select white oaks. -A classification of several white oak species composed of: white, swamp chestnut, swamp white, chinkapin, Durand, and bur oaks.

Site classes - A classification of forest land in terms of potential capacity to grow crops of industrial wood.

Timber *removals* -The net volume of growing-stock trees removed from the inventory by harvesting or cultural operations such as timber-stand improvement, land clearing, or change in land use.

Tree grade-The grade classification assigned to a sawtimber tree, which is based upon: (1) the log grade of the butt log portion (the best 12 feet of first 16 feet), or (2) the presence of at least one **12-foot** or two 8-foot logs in the upper **sawlog** portion when no butt log is present.

Upper-stem portion -That part of the main stem or fork of a sawtimber tree above the **sawlog** top to a diameter outside bark of 4.0 inches or to the point where the main stem or fork breaks into limbs.

Table 1 -Area by parish and land class, Southeast Louisiana Parishes, 1991

			Fore	st land		
Parish	<b>All</b> land'	Total	Timberland'	Woodland'	Reserved timberland	Nonforest land
			Thousa	nd acres- • • •		
East Baton Rouge	293.4	134.2	134.2			159.2
East Feliciana	291.4	168.5	168.5			122.9
Livingston	422.9	327.2	327.2			95.7
St. Helena	262.0	181.0	181.0			81.0
St. Tammany	559.0	361.4	361.4	***		197.6
Tangipahoa	501.4	307.0	307.0			194.4
Washington	4325	284.4	284.4			148.0
All parishes	2762.6	1763.7	1763.7			998.9

<sup>&#</sup>x27;From U.S. Bureau of the Census.

Table 2-Area of timberland by parish and ownership class, Southeast Louisiana Parishes, 1991

Parish	All ownerships	National forest	Misc. federal	State	Parish and municipal	Forest industry <sup>1</sup>	Farmer	Corporate <sup>2</sup>	Individual <sup>2</sup>
					Thousand ac	res			
East Baton Rouge	134.2				***		20.1	13.4	100.6
East Feliciana	168.5					5.8	46.5	5.8	110.4
Livingston	327.2	`***			5.6	174.9	5.6	50.8	90.3
St. Helena	181.0	***		***		114.0	20.1		46.9
St. Tammany	361.4		6.5	19.4		71.0		96.8	167.8
Tangipahoa	307.0		5.2	10.4		46.8	26.0	31.2	187.3
Washington	284.4	***		6.1		133.1	48.4	***	96.8
All parishes	1763.7		11.7	35.8	5.6	545.6	166.8	198.0	800.1

<sup>\*</sup>Includes land leased to forest industry.

**<sup>2</sup>Forest** land (formerly termed commercial forest land) that is producing or capable of producing at least 20 cubic feet of industrial wood per acre per year. Includes areas which may be inaccessible or inoperable by current standards. Excludes reserved timberlands.

<sup>&</sup>lt;sup>3</sup>Forest land incapable of producing 20 cubic feet of industrial wood per acre per year under natural conditions because of adverse site conditions.

<sup>&</sup>lt;sup>2</sup>Indian land will be classed as corporate or individual as defined by the Bureau of Indian Affairs.

Table 3 -Area of timberland by parish and forest type group, Southeast Louisiana Parishes, 1991

			Forest type group							
			af-slash ome	Loblolly p	-shortleaf ome	0.1	0.1	0.1	F1 1	
Parish	Total	Planted	Natural	Planted	Natural	Oak- pine	Oak- hickory	Oak-gum- cypress	Elm-ash- cottonwood	Nontyped'
					Thous	and acre.	s ·			
East Baton Rouge East Feliciana Livingston	134.2 168.5 327.2			23.2 28.2	6.7 23.2 95.9	34.9 33.8	13.4 63.9 67.7	107.3 23.2 101.5	6.7	
St. Helena St. <b>Tammany</b>	181.0 361.4	45.2	6.7 45.2	40.2 6.5	67.0 77.4	26.8 2.5.8	40.2 32.3	129.1		
Tangipahoa Washington	307.0 284.4	10.4	<b>10.4</b> 6.1	31.2 66.6	52.0 48.4	36.4 30.3	72.8 84.7	83.3 48.4		10.4
All parishes	1763.7	55.6	68.3	195.9	370.8	188.0	375.1	492.9	6.7	10.4

<sup>&</sup>lt;sup>1</sup>Timberland with no current stocking.

Table 4-Area of timberland by parish and stand-size class, Southeast Louisiana Parishes, 1991

	_		Stand-size class	_	
Parish	All classes	Sawtimber	Poletimber	Sapling- seedling	Nonstocked' areas
		Tho	usand acres		
East Baton Rouge	134.2	93.9	26.8	13.4	***
East Feliciana	168.5	104.6	17.4	40.7	5.8
Livingston	327.2	197.4	90.3	39.5	
St. Helena	181.0	93.9	53.6	33.5	
St. Tammany	361.4	213.0	51.6	96.8	
Tangipahoa	307.0	140.5	41.6	98.9	26.0
Washington	284.4	96.8	84.7	102.9	
All parishes	1763.7	940.1	366.1	425.6	31.8

<sup>&</sup>lt;sup>1</sup>Timberland less than 16.7 percent stocked.

Table 5 -Area of timberland by parish and site class, Southeast Louisiana Parishes, 1991

	A 11		Site clas	ss (cubic feet	/acre/year)	
Parish	All classes	> 165	120-165	85-120	50-85	< 50
			-Thousand	acres- • • •		• • • • • • •
East Baton Rouge	134.2	53.7	26.8	40.3	13.4	
East Feliciana	168.5	52.3	93.0	17.4		5.8
Livingston	327.2	112.8	84.6	79.0	50.8	
St. Helena	181.0	53.6	87.2	26.8	13.4	
St. Tammany	361.4	12.9	122.6	103.3	96.8	25.8
Fangipahoa •	307.0	36.4	67.6	109.3	67.6	26.0
Washington	284.4	66.6	72.6	84.7	60.5	***
All parishes	1763.7	388.3	554.4	460.7	302.6	57.6

Table 6 -Area of timberland by parish and stocking classes of growing-stock trees, Southeast Louisiana Parishes, 1991

			Stockir	g class (perc	cent)	
Parish	All classes	>130	100-130	60-100	16.7-60	<b>&lt;</b> 16.7
			Thousand	d acres •		
East Baton Rouge	134.2		20.1	53.7	60.4	
East Feliciana	168.5	5.8	17.4	87.1	52.3	5.8
Livingston	327.2	33.8	112.8	129.7	50.8	
St. Helena	181.0	6.7	73.7	93.9	6.7	
St. Tammany	361.4	12.9	90.4	174.3	83.9	
Tangipahoa	307.0	10.4	46.8	109.3	78.0	62.4
Washington	284.4	36.3	90.8	121.0	30.3	6.1
All parishes	1763.7	106.0	452.1	769.0	362.3	74.3

Table 7 -Area of timberland by forest type and ownership class, Southeast Louisiana Parishes, 1991

Forest type'	All ownerships	National forest	Other public	Forest industry	Forest industry- leased	Other private
			Thousar	nd acres- • •		
Longleaf-slash pine Loblolly-shortleaf pine	123.9 566.7		6.5 12.5	6.7 269.5	32.3 18.1	78.5 266.5
Softwood total	690.6		19.0	276.2	50.4	345.0
Oak-pine Oak-hickory Oak-gum-cypress Elm-ash-cottonwood	188.0 375.1 492.9 6.7	• •• ••	6.5 27.7	37.2 94.2 63.8	17.3  6.5	133.5 274.4 394.9 6.7
Hardwood total	1062.7		34.2	195.2	23.8	809.5
Nontyped <sup>2</sup>	10.4				***	10.4
All types	1763.7		53.1	471.5	74.1	1165.0

<sup>&#</sup>x27;Forest type is based on species plurality of all live trees. Mixed types that in combination contain a majority of hardwood stocking are hardwood types.

<sup>2</sup>Timberland with no current stocking.

Table 8-Area of timberland by ownership class and stocking classes of growing-stock trees. Southeast Louisiana Parishes. 1991

			Stocking	class (percen	t)	
Ownership class	All classes	> 130	100-130	60-100	16.7-60	<b>&lt;</b> 16.7
			Thousar	nd acres		
Other public	53.1	6.5	11.3	12. I	18.1	5.2
Forest industry	471.5	53.2	170.8	203.5	38.8	5.2
Forest industry-leased	74.1		23.8	32.3	18.1	
Other private	1165.0	46.3	246.3	521.1	287.3	63.9
All ownerships	1763.7	106.0	452.1	769.0	362.3	74.3

Table 9-Area of timberland by forest type and stand-size class, Southeast Louisiana Parishes, 1991

			Stand-size class		
Forest type <sup>1</sup>	All classes	Sawtimber	Poletimber	Sapling- seedling	Nonstocked <sup>2</sup> areas
			Thousand acres-		
Longleaf-slash pine Loblolly-shortleaf pine	123.9 566.7	435 276.9	26.1 147.8	54.3 136.2	5.8
Softwood total	690.6	320.4	173.9	1905	5.8
Oak-pine Oak-hickory <b>Oak-gum-cypress</b> Elm-ash-cottonwood	188.0 375.1 492.9 6.7	127.0 192.2 293.8 6.7	6.7 49.7 135.8	54.3 122.8 58.0	10.4 5.2
Hardwood total	1062.7	619.7	192.2	235.1	15.6
Nontyped <sup>3</sup>	10.4	***	***		10.4
All types	1763.7	940.1	366.1	425.6	31.8

<sup>&#</sup>x27;Forest type is based on species plurality of all live trees. Mixed types that in combination contain a majority of hardwood stocking are hardwood types.

\*\*Timberland\*\* less than 16.7 percent stocked.

\*\*Timberland\*\* with no current stocking.

Table 10 -Number of live trees on timberland by species and diameter class. Southeast Louisiana Parishes, 1991

Table 10 -Number of	live trees	on timber	riana by	v species	ana a	iameter (	ciass, S	outneast	Louisi	ana Pa	ırısnes,	1991	
					Dian	neter class	(inches	at breast	height)				
Species	All classes	1.0-	3.0- —4.9 —	5.0- 6.9	7.0- 8.9	9.0- 10.9	<b>11.0-</b> 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	<b>21.0-</b> 28.9	29.0 <b>&amp;</b> larger
	•					Thou	sand tre	es					
Longleaf-slash pines Shortleaf-loblolly pines Other vellow pines Cypress	<b>32620</b> 193476 5674 22024	<b>11967</b> 75165 1642 6442	8343 46264 1109 5965	3712 30249 429 3124	2677 17629 433 2245	2727 9813 533 1511	1881 5342 412 976	757 3331 328 620	342 2574 267 463	152 1466 207 325	53 627 141 132	8 978 166 207	39 9 13
Total softwoods	253794	95216	61682	37513	22985	14584	8611	5035	3646	2150	953	1359	60
Select white oaks Select red oaks Other white oaks Other red oaks Hickory Soft maple Beech Sweetgum Tupelo-blackgum Ash Cottonwood-aspen Yellow-poplar Black walnut Other hardwoods	9051 1564 8298 95251 13186 <b>60984</b> 4355 101484 117432 14760 53 5463 139 124544	2137 2796 63005 7267 47867 3249 66423 50259 12246  1986	3345  2615 12415 2946 8127  16522 35288 517  1170	1316 788 6429 978 1859 166 8273 11620 823  548 8032	469 331 777 3127 <b>568</b> <b>1735</b>  3120 9044 385  1%	604 192 472 2657 521 509 148 2718 5725 284 42 402	278 177 307 1956 253 342 119 1409 2230 145 	161 190 112 1610 199 2 <b>62</b> 1401 1489 105  215	217 230 158 12% 204 <b>183</b> 746 758 66  243	176 115 154 680 115 <b>41</b> <b>81</b> 421 452 93	70 105 57 615 73 <b>43</b> 181 271 61 11 99	226 165 53 1161 60 <b>16</b> <b>257</b> 267 278 34 	52 59 9 299  <b>68</b> 5 17  25 
-								<del></del> <b>882</b>					
Total hardwoods	556564	353368	95301	40833	22587	16372	8731		4734	2690	1781	2884	559
Noncommercial	105425	74833	15221	8523	4468	1324	610	1%	83	56	41	55	14
All species	915783	523417	172204	86870	50040	32280	17952	11955	8463	48%	2775	4298	633

Table 11 -Number of growing-stock trees on timberland by species and diameter class, Southeast Louisiana Parishes, 1991

					Diam	eter class	(inches a	t breast h	eight)				
Species	All classes	1.0- 2.9	3.0- 4.9	<b>5.0-</b> 6.9	7.0- 8.9	9.0- 10.9	<b>11.0-</b> 12.9	<b>13.0-</b> 14.9	<b>15.0</b> -16.9	<b>17.0-</b> 18.9	<b>19.0</b> - 20.9	<b>21.0-</b> 28.9	29.0 <b>&amp;</b> larger
						-Thousa	ind trees						
Longleaf-slash pines	30072	10458	7752	3460	2533	2675	1881	757	342	152	53	8	
Shortleaf-loblolly pines	181297	66397	44600	29248	17299	9547	5312	3287	2559	1429	616	963	39
Other yellow pines	4450	1050	592	429	377	533	353	328	267	207	141	166	9
Cypress	16898	3350	5011	2132	2245	1511	976	562	449	309	132	207	13
Total softwoods	232718	81256	57955	35269	22454	14267	8523	4933	3616	2098	942	1344	60
Select white oaks	6432	1072	2197	1173	469	564	159	161	189	165	70	193	2 1
Select red oaks	1383				331	143	140	143	194	11s	105	152	59
Other white oaks	4965	1110	1546	558	695	366	248	112	94	128	47	53	9
Other red oaks	61097	36926	7425	5236	2912	2326	1379	1360	1172	572	594	982	213
Hickory	8021	3841	2355	340	270	449	193	162	2 <b>84</b>	113	53	40	***
Soft maple	21715	14941	3173	1335	1367	381	198	178	76	54	34	10	
Beech	1876	1229		166		92		78			36	131	13
Sweetgum	68476	43810	9867	6229	2.514	2366	980	1311	633	385	137	239	5
Гupelo-blackgum	63274	16784	20875	92%	7738	4727	1251	1230	682	319	229	135	9
Ash	3885	2.586		3 4 3	330	208	60	105	66	93	61	34	
Cottonwood-aspen	11										11		
Yellow-poplar	4238	1509	615	464	1%	402	214	215	243	117	99	151	12
Black walnut	7 2				72								,
Other hardwoods	70434	51492	7261	5793	2072	1534	888	662	277	189	119	146	
Total hardwoods	315880	175300	55313	30932	1896.5	13558	5711	5717	3915	2263	1595	2267	341
All species	548598	256556	113268	66202	41420	27825	14234	10651	7532	4361	2537	3611	401

Table 12 - Volume of growing stock on timberland by species and diameter class, Southeast Louisiana Parishes, 1991

					Diamete	r class fin	ches at br	east height	)		
Species	All classes	<b>5.0-</b> 6.9	<b>7.0-</b> 8.9	<b>9.0-</b> 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	<b>17.0</b> - 18.9	19.0- 20.9	21.0- 28.9	29.0 & larger
	~				Millio	n cubic f	eet				
Longleaf-slash pines	150.4	9.5	18.4	35.4	39.2	23.9	12.6	7.2	3.5	0.7	
Shortleaf-loblolly pines	891.8	73.3	109.9	128.8	114.9	108.9	110.6	85.8	46.0	104.4	9.0
Other yellow pines	89.7	1.0	2.6	7.5	8.5	11.6	12.8	13.6	12.0	18.4	1.8
Cypress	123.9	5.6	13.8	15.4	16.7	14.6	15.7	14.4	8.7	16.1	2.8
Total softwoods	1255.9	89.4	144.7	187.1	179.2	159.1	151.8	121.1	70.2	139.7	13.6
Select white oaks	47.6	2.1	2.6	6.0	3.0	4.4	5.4	6.6	3.2	12.6	1.8
Select red oaks	51.4		2.1	1.5	2.3	4.5	7.9	5.3	6.0	13.0	9.0
Other white oaks	27.3	0.9	3.7	3.1	3.7	2.5	2.5	4.6	1.7	3.6	1.0
Other red oaks	304.0	14.7	17.5	23.2	24.3	34.5	36.9	23.2	31.5	71.1	26.9
Hickory	31.0	0.7	1.5	3.1	3.6	4.1	2.1	5.2	2.3	2.5	
Soft maple	27.6	3.9	8.6	0.8	3.4.	3.4	2.4	0.4	1.9	0.7	
Beech	19.5	0.4	111	V.U		1.8		1.9	1.7	8.9	1.5
Sweetgum	166.6	14.3	13.6	24.7	17.4	33.3	21.1	17.1	7.1	17.3	0.6
Tupelo-blackgum	212.2	23.7	42.9	46.3	20.8	28.1	20.6	12.1	10.2	6.7	0.9
Ash	18.4	0.7	2,0	2,3	0.8	2.8	2.1.	3.5	2.9	1.3	
Cottonwood-aspen	0.5								0.5		
Yellow-poplar	49.3	1.3	1.2	4.5	3.4	4.8	8.0	5.9	6.3	12.6	1.4
Black walnut	0.3	14.5.	10.3	15.4.		14.1.	9.1.	7.1.	<b>5.9</b> .	8.9.	
Other hardwoods	101.4				13.9						***
Total hardwoods	1057.2	77.3	108.4	135.5	96.6	138.4	124.7	92.7	81.2	159.2	43.1
All species	2313.0	166.7	2.53.1	322.6	275.8	297.5	276.5	213.8	151.4	298.9	56.6

Table 13 - Volume of growing stock in the sawlog portion of sawtimber trees on timberland by species and diameter class, Southeast Louisiana Parishes, 1991

				Diameter	class (inc	hes at brea	ast height)		
Species	All classes	<b>9.0-</b> 10.9	<b>11.0-</b> 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 28.9	29.0 <b>&amp;</b> larger
				Mill	ion cubic	feet			
Longleaf-slashpines Shortleaf-lobioly pine Other yellow pines Cypress	108.9 6:79.4 91.5	28.4 1: 5.7 10.5	35.6 1( 7.9 13.7	22.5 101.0	12.2 102.2  4.41.7	6.4 81.0	3.3 43.6 115 78	0.5 98.3 11.15.1	8.3 11 11
Total softwoods	917.8	146.8	158.6	147.6	140.8	114.2	66.2 <b>2.7</b>	130.8	12.7
Select white oaks Select red oaks	==30.7== 40.5		2.3 <b>1.5</b>	3.5 <b>3.6</b>	41 61	5.4 <del></del> 5.4 4.6	5.1	11.11.1	1.6 7.7
Other white oaks Other <b>red</b> oaks	16.2 209.0		3.1 12.7	2.1 23.3	2.0 30.7	3.7 19.1	1.4 26.2	3.1 62.4	0.8 24:0
Hickory Soft maple	20.0 9.8		2.5	2.7	5.3 <b>1.8</b>	4.3 0.4	2.1 1.9	2.2 0.6	
Beech Sweetgum	15.4 93.4	••• 	12.3	1.5 26.3	2.2 17.2	1.5 15.1	1.3 9.5	7.6 15.7	1.2
Tupelo-blackgum Ash	83.0 11.0		14.2 0.6	22.8 2.3	18.1 1.5	11.3 3.2	2.5	<b>6.3</b> 1.1	0.9
Cottonwood-aspen Yellow-p <b>oplar</b> Other ha <b>rdwoods</b>	35.0 48.4	:::	10.7 2.2	3.6 11.1	66 1.8	52 60	5.4 4.7	109 8.0	1.2
Total hardwoods	613.0		70.1	111.3	104.1	79.8	69.6	140.1	38.0
All species	1530.8	146.8	228.7	258.9	244.9	194.0	135.8	270.9	50.7

<sup>&</sup>lt;sup>1</sup>That part of the bole of sawtimber trees between a l-foot stump and sawlog top.

**Table 14 –** Volume **of** sawtimber on timberland by species and diameter class, Southeast Louisiana Parishes, 1991

				Diamete	r class (in	ches at bre	ast height		
Species	All classes	<b>9.0-</b> 10.9	<b>11.0-</b> 12.9	13.0- 14.9	15.0- 16.9	<b>17.0</b> - 18.9	19.0. 20.9	21.0- 28.9	29.0 <b>&amp;</b> larger
				• • • • -M	fillion bo	ard feet			
Longleaf-slash pines Shortleaf-lobloitly pine Other vellow pines Cypress	639.8 4013.8 <b>510.5</b> 493.2	153.3 568.3 31.6 48.6	210.4 615.3 48.1 71.2	139.0 643.4 69.3 69.6	73.1 652.8 76.9 81.3	40.3 528.3 87.3 76.6	20.3 <b>286.5</b> 74.3 44.9	3.5 661.5 110.9 87.3	57.7 12.2 13.7
Total softwoods	5657.3	801.8	944.9	921.2	884.1	732.5	426.0	863.2	83.6
Select white oaks Select red oaks Other white oaks Other <b>red</b> oaks Hickory	183.0 246.9 <b>97.0</b> <b>1240.6</b> 1185	01 01 01	12.9 <b>8.2</b> <b>16.7</b> 99.3 15.1	20.6 22.0 12.7 163.7 18.1	23.6 40.5 12.2 181.0 33.0	<b>22.9</b> 22.4 112.0 27.2	<b>32.0</b> 9.2 159.0 13.2	<b>68.0</b> 18.7 379.9 11.9	8.5 46.5 5.2 145.9
Soft <b>maple</b> Beech <b>Sweetgum</b> Tupelo-blackgum Ash	53.5 94.8 527.3 431.2 61.9	111 111 111	13.9 65.8 69.8 2.8	14.0 <b>8.9</b> <b>145.3</b> <b>117.4</b> 13.4	8.6 13.4 <b>97.8</b> <b>97.7</b> 8:0	2.5 9.1 86.8 59.2 17.8	10.6 7.6 <b>38.5</b> <b>49.9</b> <b>15.1</b>	4.0 47.5 898 328 4.8	8.3 4.3
Cottonwood-aspen Yellow-p <b>oplar</b> Other ha <b>rd</b> woods	20% <b>271.5</b>	111 111	11.3 59.9	195 60.4	36.9 46.6	32.5. 32.4	2.4 33.9 27.6	67.6 445	7.4
Total hardwoods	3537.6	***	375.6	616.1	599.2	462.5	415.2	839.7	229.3
All species	9194.8	801.8	1320.5	1537.3	1483.3	1195.0	841.1	1702.9	312.9

Table 15 - Volume of growing stock and sawtimber on timberland by parish and species group, Southeast Louisiana Parishes, 1991

			Growin	ng stock				1.2	Sawtir	nber		_
			Softwood		Har	dwood			Softwood		Hardy	wood
		F	Pine	_				Pi	ne			
Parish	All species	Planted	Natural	Other	Soft <sup>1</sup>	$Hard^2$	All species	Planted	Natural	Other	Soft <sup>1</sup>	Hard <sup>2</sup>
			Million cı	ıbic feet .					- Million	board fe	et	
East Baton Rouge	176.3		18.2	15.6	76.0	66.5	692.9		79.6	78.8	254.9	279.6
East Feliciana	218.0	11.3	105.1		37.9	63.7	952.2	18.0	548.2		125.3	260.6
Livingston	545.1	76.6	196.9	36.2	134.6	100.8	2044.8	345.0	784.2	136.0	313.7	465.8
St. Helena	293.5	20.8	195.1		26.4	51.3	1286.9	23.9	1036.8		56.8	169.4
St. Tammany	490.1	27.6	206.0	32.4	132.5	91.7	1987.5	60.6	1002.2	159.7	381.2	383.8
Tangipahoa	302.0	12.7	127.4	34.4	68.9	58.6	1236.9	32.1	706.5	94.1	172.1	232.1
Washington	287.9	41.0	93.3	5.4	74.6	73.7	993.8	48.6	478.6	2h.5	186.2	255.9
All parishes	2313.0	189.9	942.0	123.9	550.9	506.3	9194.8	528.1	4636.0	493.2	1490.3	2047.3

<sup>&#</sup>x27;Hardwood species with an average specific gravity of 0.50 or less such as gums, yellow-poplar, cottonwood, red maple, basswood, aspen, and willow. \*Hardwood species with an average specific gravity greater than 0.50 such as oaks, hard maple, hickories, and green and white ash.

Table 16 - Volume ojtimber on timberland by class of timber and species group, Southeast Louisiana Parishes. 1991

			Softwood		Har	dwood
	All	Pin	ie			
Class of timber	species	Planted	Natural	Other	Soft <sup>1</sup>	Hard <sup>2</sup>
			• • Million o	ubic feet -		
Sawtimber trees: Sawlog portion Upper-stem portion	1530.8 226.9	87.2 12.2	739.1 78.7	91.5 13.0	269.2 56.9	343.7 66.1
Total	1757.7	99.4	817.8	104.5	326.1	409.8
Poletimber trees	555.3	90.5	124.2	19.4	224.8	96.5
All growing-stock trees	2313.0	189.9	942.0	123.9	550.9	506.3
Rough trees:  Sawtimber size Poletimber size	119.8 93.1	2.2 2.1	4.6 2.4	0.4 1.7	50.7 31.5	62.0 55.4
Total	212.9	4.3	7.0	2.1	82.1	117.4
Rotten trees: Sawtimber size Poletimber size	28.2 2.7		0.8	0.5	12.1 2.0	14.8 0.8
Total	31.0	***	0.8	0.5	14.1	15.5
Salvable dead trees: Sawtimber size Poletimber size	3.7 0.8	0.5	2.4 0.4		0.4	0.8
Total	4.5	0.5	2.8		0.4	0.8
All classes	2561.4	194.7	952.6	126.6	647.6	639.9

<sup>&#</sup>x27;Hardwood species with an average specific gravity of 0.50 or less such as gums, yellow-poplar, cottonwood, red

maple, basswood, aspen, and willow.

Hardwood species with an average specific gravity greater than 0.50 such as oaks, hard maple, hickories, and green and white ash.

Table 17 — Volume of live trees and growing stock on timberland by ownership class and species group, Southeast Louisiana Parishes, 1991

	Live trees							Growi	ing stock			
			Softwood	i	Har	dwood			Softwood		Hard	lwood
	A 11	P	ine				A 11	P	ine			
Ownership class	All species	Planted	Natural	Other	Soft <sup>1</sup>	Hard <sup>2</sup>	All species	Planted	Natural	Other	Soft <sup>1</sup>	$Hard^2$
						Million o	cubic feet					
Other public Forest industry Forest industry-leased Other private	80.1 611.3 77.2 1788.3	102.8 20.1 71.3	41.6 241.1 28.3 638.7	19.0 13.3 0.8 93.5	9.4 109.3 8.6 519.9	10.0 144.7 <b>19.5</b> 465.0	72.9 572.1 71.0 1597.0	101.8 20.1 68.0	41.6 239.8 28.0 632.7	18.8 13.1 0.8 91.2	6.2 93.5 7.3 443.9	6.3 123.9 14.8 361.3
All ownerships	2556.9	194.2	949.8	126.6	647.2	639.2	2313.0	189.9	'942.0	123.9	550.9	506.3

Hardwood species with an average specific gravity of 0.50 or less such as gums, yellow-poplar, cottonwood, red maple, basswood, aspen, and willow.

**Table 18** -Average net annual growth of growing stock and sawtimber on timberland by parish and species group, Southeast Louisiana Parishes, 1991

			Grow	ing stock					Sawtii	nber		
			Softwoo	d	Har	dwood			Softwood		Hard	wood
	A 11	-	Pine				A 11	Pi	ine			
Parish	All species	Planted	Natural	Other	Soft <sup>1</sup>	$Hard^2$	All species	Planted	Natural	Other	Soft <sup>1</sup>	$Hard^2$
			-Millior	cubic fe	et ••••				Milligg b	oard feet		
East Baton Rouge	7.4		0.9	0.4	3.6	2.6	28.6		32.9	1.8	11.3	10.7
East Feliciana	12.5	2.8	5.3		1.8	2.6	645	9.9	Ja.,		7.8	13.9
Livingston	26.8	2.5	15.2	0.7	3.7	4.7	122.3	15.5	68.1	2.9	15.9	20.0
St. Helena	15.7	3.2	8.1		0.7	3.8	57.3	5.3	41.1		1.5	9.4
St. Tammany	20.1	1.9	10.0	0.5	4.6	3.0	99.1	5.7	64.0	1.8	13.9	13.7
Tangipahoa	17.7	3.5	8.6	0.8	2.2	2.5	95.3	22.5	48.4	4.8	7.9	11.8
Washington	21.2	5.5	7.5	0.2	4.6	3.4	73.9	7.0	42.4	0.7	13.4	10.4
All parishes	121.4	19.4	55.5	2.5	21.2	22.7	541.1	65.9	301.7	11.9	71.7	89.9

Hardwood species with an average specific gravity of 0.50 or less such as gums, yellow-poplar, cottonwood, red maple, basswood, aspen, and willow.

**Table 19** -Average annual removals **of** growing stock and sawtimber on timberland by parish and species group, Southeast Louisiana Parishes, 1991

			Growin	g stock					Sawtiml	ber		
			Softwood		Har	dwood		S	oftwood		Har	dwood
		P	ine				=	Pi	ne			
Parish	All species	Planted	Natural	Other	Soft <sup>1</sup>	Hard <sup>2</sup>	All species	Planted	Natural	Other	Soft <sup>1</sup>	Hard <sup>2</sup>
			-Million c	ubic feet		,		M	lillion boa	rd feet		
East Baton Rouge	0.8	***			0.6	0.2	3.7		***	• •••	2.6	1.0
East Feliciana	17.3	4.8	11.1		0.6	8.0	925	26.0	61.7	***	1.0	3.8
Livingston	22.2	0.8	18.3	0.3	1.9	1.0	113.5	1.5	995	1.4	7.6	3.6
St. Helena	10.3	1.9	6.6		1.0	0.8	33.8	7.0	23.8		1.9	1.1
St. Tammany	13.8	1.1	12.1		0.5	0.2	55.5		53.2		2.3	
Tangipahoa	25.8	7.2	14.5		1.8	2.3	119.7	31.0	73.1		6.1	9.5
Washington	19.7	4.0	13.3		1.0	1.5	80.8	5.3	70.3		1.8	3.5
All parishes	110.0	19.7	75.9	0.3	7.4	6.7	499.7	70.8	381.6	1.4	23.4	22.5

Hardwood species with an average specific gravity of 0.50 or less such as gums, yellow-poplar, cottonwood, red maple, basswood, aspen, and willow.

<sup>&</sup>lt;sup>2</sup>Hardwood species with an average specific gravity greater than 0.50 such as oaks, hard maple, hickories, and green and white ash.

<sup>&</sup>lt;sup>2</sup>Hardwood species with an average specific gravity greater than 0.50 such as oaks, hard maple, hickories, and green and white ash.

<sup>&</sup>lt;sup>2</sup>Hardwood species with an average specific gravity greater than 0.50 such as oaks, hard maple, hickories, and green and white ash.

Table 20 -Average net annual growth and average annual removals of growing stock on timberland by species, Southeast Louisiana Parishes, 1991

Species	Growth	Removals
	· · · Million	cubic feet • • •
Yellow pines	74.9	95.6
Other softwoods	2.5	0.3
Total softwoods	77.4	95.9
Select white-red oaks	4.5	0.9
Other white-red oaks	15.6	4.8
Hickory	1.2	0.2
Sweetgum	6.6	2.9
Ash-walnut-black cherry	1.1	0.5
Yellow-poplar	3.0	1.4
Other hardwoods	12.0	3.5
Total hardwoods	43.9	14.1
All species	121.4	110.0

Table 21 -Average net annualgrowth and average annual removals of sawtimber on timberland by species, Southeast Louisiana Parishes, 1991

Species	Growth	Removals
	• • • • Million l	board feet • • • •
Yellow pines O t h e r softwoods	3675 11.9	452.4 1.4
Total softwoods	379.5	453.8
Select white-red oaks Other white-red oaks Hickory Sweetgum Ash-walnut-black cherry Yellow-poplar Other hardwoods	21.3 58.2 6.7 25.8 1.9 15.2 32.5	3.7 16.4 0.9 8.0  5.8 11.0
Total hardwoods	161.6	45.9
All species	541.1	499.7

Table 22-Average annual mortality of growing stock and sawtimber on timberland by species, Southeast Louisiana Parishes, 1991

Species	Growing stock	Sawtimber
-	Million cubic feet	Million board feet
Yellow pines	8.1	39.8
Total sofhvoods	8.1	30.8
Other white-red oaks Hickory	3.0 0.3	12.1 1.3
Sweetgum Ash-walnut-black cherry	1.4 0.7	1.3 0.4
Yellow-poplar Other hardwoods	0.4 2.1	0.7 7.6
Total hardwoods	7.9	23.4
All species	16.0	54.3

Table 23 -Average net annualgrowth and average annual removals of growing stock on timberland by ownership class and species group, Southeast Louisiana Parishes, 1991

			Grow	th					Remo	vals		
		_	softwood		Har	dwood			softwood		Hardy	wood
	4 11	P	ine					P	ne			
Ownership class	All species	Planted	Natural	Other	Soft <sup>1</sup>	${\rm Hard}^2$	All species	Planted	Natural	Other	Soft <sup>1</sup>	Hard <sup>2</sup>
		• •				Million	cubic feet					
Other public Forest industry	2.3 44.7	12.0	1.1 20.2	0.6 0.2	0.2 4.8	0.4 <b>7.5</b>	3.8 23.8 4.8	6.5	3.4 13.9 3.7		0.4 1.1	2.3
Forest industry-leased Other private	4.6 69.8	1.6 5.8	2.4 31.9	1.8	16.2	0.6 14.1	4.8 77.6	1.1	54.9	0.3	5.9	4.5
All ownerships	121.4	19.4	55.5	2.5	21.2	22.7	110.0	19.7	75.9	0.3	7.4	6.7

<sup>&</sup>lt;sup>1</sup>Hardwood species with an average specific gravity of 0.50 or less such as gums, yellow-poplar, cottonwood, red maple, basswood, aspen, and willow. <sup>2</sup>Hardwood species with an average specific gravity greater than 0.50 such as oaks, hard maple, hickories, and green and white ash.

Table 24-Average net annualgrowth and average annual removals of sawtimber on timberland by ownership class and species group, Southeast Louisiana Parishes, 1991

			Grow	th					Remo	ovals		
			softwood		Har	dwood			softwood		Hardy	wood
	A 11	P	ine					Pi	ne			
Ownership class	All species	Planted	Natural	Other	Soft <sup>1</sup>	Hard <sup>2</sup>	All species	Planted	Natural	Other	Soft <sup>1</sup>	Hard <sup>2</sup>
					Mi	llion boa	rd feet -	*		• •		
Other public	13.1		8.4	2.3	0.7	1.7	17.4		15.7		1.8	
Forest industry	155.4	27.4	84.6	1.0	16.5	25.9	84.6	12.7	61.9		3.0	7.1
Forest industry-leased	20.4	5.3	12.8		0.1	2.2	11.4		11.4		111	
Other private	352.1	33.2	195.8	8.6	54.4	60.2	386.2	58.1	292.6	1.4	18.7	15.4
All ownerships	541.1	65.9	301.7	11.9	71.7	89.9	499.7	70.8	381.6	1.4	23.4	22.5

<sup>&</sup>lt;sup>1</sup>Hardwood species with an average specific gravity of 0.50 or less such as gums, yellow-poplar, cottonwood, red maple, basswood, aspen, and willow. <sup>2</sup>Hardwood species with an average specific gravity greater than 0.50 such as oaks, hard maple, hickories, and green and white ash.

Table 25 - Volume of sawtimber on timberland by species and tree grade, Southeast Louisiana Parishes, 1991

Species	All grades	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5
			Million boo	ard feet-	******	
Yellow pines Cypress	5164.1 493.2	941.6 90.3	1018.6 148.0	3044.7 223.2	•••	159.3 31.6
Total softwoods	5657.3	1031.9	1166.6	3267.9	***	190.9
Select white-red oaks Other white-red oaks Hickory Sweetgum Tupelo and blackgum Ash-walnut-black cherry Yellow-poplar Other hardwoods	429.9 1337.7 118.5 527.3 431.2 74.7 209.0 409.3	115.9 147.1 7.0 27.8 38.0 8.7 42.4 60.7	104.6 131.5 21.8 152.2 122.2 28.4 28.7 40.3	136.1 583.1 56.0 235.7 207.4 31.4 103.6 192.0	47.4 354.2 25.5 55.9 33.8 3.6 19.2 60.6	25.9 121.8 8.2 55.6 29.8 2.5 15.1 55.8
Total hardwoods	3537.6	447.6	629.7	1545.3	600.3	314.7
All species	9194.8	1479.4	1796.3	4813.2	600.3	505.7

Table 26 -Area of timberland by stand age, forest type group and stand origin, Southeast Louisiana Parishes. 1991

G, 1	Pi	ine	Oak-j	pine	Other hardwood type		
Stand age class	Artificial	Natural	Artificial	Natural	Artificial	Natural	
			· · - Thousan	id acres- • •			
1-10	88.8	34.0	18.3	11.3	12.1	24.0	
11-20	67.0	11.3			6.1		
21-30	46.5	34.2				6.5	
31-40	25.3	31.8				***	
4150		19.9					
>50	5.6	24.2				5.6	
Mixed	18.3	283.8		158.4	6.1	814.3	
Total	251.5	439.1	18.3	169.7	24.2	850.4	

Table 27 - Volume of softwood growing stock on timberland by parish and forest type group, Southeast Louisiana Parishes, 1991

			Forest type group								
		Longle	af-slash ine	-,	-shortleaf	Oak-	Oak-	Oak-gum-	Elm-ash-		
Parish	Total	Planted	Natural	Planted	Natural	pine	hickory	cypress	cottonwood		
				-Mi	llion cubic	feet- • • •					
East Baton Rouge East Feliciana	33.8 116.4			10.7	11.4 43.0	35.7	1.7 27.0	18.3	2.4		
Livingston St. Helena	309.7 215.9	:::	::: 8.7	76.6 20.8	137.5 136.4	38.7 39.2	11.4 10.7	45.6			
St. Tammany	266.0	26.7	61.4	1.0	123.2 895	9.0	3.6	41.1			
Tangipahoa Washington	174.5 139.6	2.3	9.8 6.0	10.3 36.0	50.3	24.1 13.8	4.1 20.4	34.4 13.1			
All parishes	1255.9	29.0	85.9	155.4	591.3	160.5	79.0	152.4	2.4		

Table 28 – Volume of hardwood growing stock on timberland by parish and forest type group, Southeast Louisiana Parishes, 1991

					Forest	type group			
			af-slash ine	•.	-shortleaf ne	Oals	Oals	Oak aum	Elm och
Parish	Total	Planted	Natural	Planted	Natural	<b>Oak-</b> pine	<b>Oak-</b> hickory	Oak-gum- cypress	Elm-ash- cottonwood
					-Million c	ubic feet .			
East Baton Rouge East Feliciana	142.6 101.6			0.3	3.0 4.0	23.6	8.8 57.4	127.2 16.3	3.6
Livingston St. Helena	235.4 77.6	***	***	5.1 0.8	23.6 23.0	32.1 30.4	47.3 23.4	127.3	
St. <b>Tammany</b> Tangipahoa Washington	224.1 127.5	0.3	2.6 0.8	1.0	18.6 13.5	3.9 24.7	20.5 40.1	178.2 47.5	
Washington	148.3	:::	1.1	0.3	14.1	8.7	67.6	56.6	***
All parishes	1057.2	0.3	4.5	7.6	99.8	123.3	264.9	553.1	3.6

Table 29 — Volume-of softwood growing stock in the sawlog portion of sawtimber trees on timberland by forest type group, Southeast Louisiana Parishes, 1991

					Fores	st type grou	ıp		
	r		af-slash ine		-shortleaf oine	Oak-	Ools	Oak-gum-	Elm-ash-
Parish	Total	Planted	Natural	Planted	Natural	pine	Oak- hickory	cypress	cottonwood
				M	lillion cubi	c feet			
East Baton Rouge East Feliciana	26.8 84.6			3.0	7.7 28.6	30.7	0.9 22.2	16.2	1.9
Livingston St. Helena	210.4 168.5		5.6	53.6 45	80.7 116.4	34.1 34.0	9.3 8.1	32.8	
St. Tammany	203.4 132.9	10.9 2.1	47.9 7.2	3.7	98.4 79.2	7.5 19.5	3.3 2.4	35.5 18.7	
Tangipahoa Washington	91.2	2.1	4.0	8.2	41.0	11.6	14.6	11.8	
All parishes	917.8	13.0	64.7	73.0	452.1	137.4	60.9	115.0	1.9

Table 30 — Volume of hardwood growing stock in the sawlog portion of sawtimber trees on timberland by forest type group, Southeast Louisiana Parishes, 1991

			Forest type group									
		Longleaf-slash pine		Loblolly:	ahortleaf oine	Oak-	Oak-	Oak-gum-	Elm-ash-			
Parish	Total	Planted	Natural	Planted	Natural	pine	hickory	cypress	cottonwood			
Fast Baton Rouge	91.2				1.1		4.1	83.2	2.8			
East Feliciana	64.3				1.8	15.4	365	10.6				
Livingston	134.2			2.0	12.3	22.6	31.2	66.1				
St. Helena	38.9				12.4	15.3	11.2					
St. Tammany	134.2		0.9		9.6	2.2	9.3	112.2				
Γangipahoa ,	71.1		0.3		7.3	16.3	27.1	20.1				
Washington	79.0		0.9		6.8	3.9	355	31.9				
All parishes	613.0		2.0	2.0	51.4	75.7	154.9	324.0	2.8			

Table 31 – Volume of timber on timberland by parish, class of timber and species group, Southeast Louisiana Parishes, 1991

	4.11	Growi	ng stock	Ro	ugh	Rotten	
Parish	All classes	Softwood	Hardwood	Softwood	Hardwood	Softwood	Hardwood
				-Million cubic	feet- • • • •		
East Baton Rouge	213.3	33.8	142.6	***	30.4	***	6.6
East Feliciana	260.4	116.4	101.6	2.0	34.1		6.3
Livingston	583.0	309.7	235.4	3.7	30.5		3.6
St. Helena	306.1	215.9	77.6	0.8	8.9	0.8	2.2
St. <b>Tammany</b>	534.1	266.0	224.1	3.1	34.6	0.5	5.7
Γangipahoa <b>΄</b>	344.7	174.5	127.5	3.6	36.2		3.0
Washington	315.3	139.6	148.3	0.2	24.9		2.3
All parishes	2556.9	1255.9	1057.2	13.4	199.5	1.3	29.7

Table 32 -Number of live trees on timberland by detailed species and diameter class, Southeast Louisiana Parishes, 1991

					Diamo	eter class	(inches at	breast l	neight)				
Species	All classes	<b>1.0-</b> 2.9	3.0- 4.9	5.0- 6.9	<b>7.0-</b> a.9	<b>9.0-</b> 10.9	<b>11.0</b> -	13.0- 14.9	15.0- 16.9	<b>17.0-</b> la.9	19.0- 20.9	21.0- 28.9	29.0 <b>&amp;</b> larger
						Thous	sand tree	es					
Longleaf pine	10548	6679	1908	549	136	340	383	176	233	95	42	8	
Slash pine	22071	5289	6435	3163	2542	2387	1498	580	108	58	11		
Shortleaf pine	2736	1170	***	96	321	431	422	162	118		11	7	•••
Loblolly pine	190740	73996	46264	30153	17308	9382	4920	3169	2456	1466	616	971	39
Spruce pine	5674	1642	1109	429	433	533	412	328	267	207	141	166	9
Cypress	22024	6442	5965	3124	224.5	1511	976	620	463	325	132	207	13
Total softwoods	253794	95216	61682	37513	22985	14584	a 6 1 1	5035	3646	2150	953	1359	60
Select white oaks	9051	2137	3345	1316	469	604	278	161	217	176	70	226	52
Select write baks	1564	2137		1310	331	192	177	190	230	115	105	165	52 59
Other white oaks	8298	2796	2615	788	777	472	307	112	158	154	57	53	9
Other red oaks	95251	63005	12415	6429	3127	2657	1956	1610	12%	680	615	1161	299
	974	615		6429 la5	3127 a7		32		12% <b>16</b>		20	20	
Sweet pecan	1886		592	356	437	254	60	23	55	5 5	23	2 U 3 I	
Water hickory Other hickories		6659		438	457								
	10326	6652 <b>6881</b>	2355			267	161	176	134	60	30	a	
Persimmon	7640		517	206		36	010	***	100				
Soft maple	60863	47867	al27	la59	1666	509	313	239	183	41	43	16	
Boxelder	121				69	140	29	23	105			257	
Beech	4355	3249	10500	166	0100	148	119	97	125	al	44	257	68
Sweetgum	101484	66423	16522	8273	3120	2718	1409	1401	746	421	lal	267	5
Blackgum	79510	42180	21809	7200	4568	1832	796	485	247	171	116	105	
Other gums/tupelos	37922	8079	13479	4421	4476	3892	1434	1004	511	280	155	174	17
White ash	67				67			***					
Other ashes	14692	12246	517	823	317	284	145	105	66	93	61	34	
Sycamore	404				69	96	59	68	15	58	12	26	
Cottonwood	_ 53	2**	***			42		***		111	11		
Yellow-poplar	5463	1986	1170	548	1%	402	303	215	243	117	99	159	25
Magnolia	8648	6289	1147	262	113	88	148	2.58	169	2.5	41	a 4	24
Sweetbay	28230	21418	2844	2129	495	509	279	257	la7	40	31	42	***
Willow	1176	517		210	157	63	61	91	16	15	35	10	
Black walnut	139				139			***					111
Black cherry	9592	6115	2257	531	302	224	9.1.	24	32	15			
American elm	7618	4586	615	1561	188	286	277	2.5		27	13	39	***
Other elms	11700	9802	517	488	341	358	94	26	50	13	11		
River birch	564			286	219			41	18				
Hackberry	1441	1132		143	60	88				11		6	
Other locusts	965		615	103	119	53	32	22	21				
Sassafras	2434	2219		al	64		31	17		11	9		
Dogwood	33335	296a0	2257	1071	280		48	111					
Holly	7400	5193	1110	691	202	157	32			15			
Other commercial	3397	2298	477	269	88	141	60	51		13			
Total hardwoods	556564	353368	95301	40833	22587	16372	8731	6724	4734	2690	1781	2884	559
Noncommercial	105425	74833	15221	a523	4468	1324	610	1%	83	56	41	5 5	14
All species	915783	523417	172204	86870	50040	32280	17952	11955	a463	48%	2775	4298	633

Table 33 -Number of growing-stock trees on timberland by detailed species and diameter class, Southeast Louisiana Parishes, 1991

	Diameter class (inches at breast height										
	All	5.0-	7.0-	9.0-	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	29.0 &
Species	classes	6.9	8.9	10.9	12.9	14.9	16.9	18.9	20.9	28.9	larger
·					Tho	usand tre	PS				
Longleaf pine	1962	549	136	340	383	176	233	95	4 2	8	
Slash pine	9901	2911	2398	2335	1498	580	108	5 8	11		:::
Shortleaf pine	1567	%	321	431	422	162	118		11	7	
Loblolly pine	68733	29152	16977	9117	4890	3125	2441	1429	606	956	39
Spruce pine	2809	429	377	533	353	328	267	207	141	166	9
Cypress '	8537	2132	2245	1511	976	562	449	309	132	207	13
Total softwoods	93507	35269	22454	14267	8523	4933	3616	2098	942	1344	60
Select white oaks	3163	1173	469	564	159	161	189	16.5	70	193	2 1
Select red oaks	1383	1173	331	143	140	143	194	115	105	152	5 9
Other white oaks	2310	558	695	366	248	112	94	128	47	53	9
Other red oaks	16746	5236	2912	2326	1379	1360	1172	572	594	982	213
Sweet pecan	113	3230	87	2320	1373		16	312	11	302	413
Water hickory	592		139	217	60	23	55	5.5	12	31	
Other hickories	1121	340	45	233	132	139	134	60	30	8	
Persimmon	137	102		36	10%		104				
Soft maple	3532	1335	1298	381	198	178	84	13	34	10	• • • •
Boxelder	69		69								•
e e c h	647	166		92		78	76	5 4	36	131	13
Sweetgum	14799	6229	2514	2366	980	1311	633	385	137	239	5
Blackgum			3928				232		105		
	12389 13226	5526 3769	3809	1471 3256	523 729	420 810	450	118		66 69	
Other gums/tupelos Vhite ash	67		67					201	124		9
Other ashes	1232	343	262	208	60	105			0.1	0.4	
	404		262 69	μυσ %	59	105	66	93	61	34	***
Sycamore						68	15	5 8	12	26	
Cottonwood Vollan, norden	11	404	1.0/	400	014	0.1.5	0.40	117	11	171	1.0
/ellow-poplar	2115	464	1 %	402	214	215	243	117	99	151	12
Magnolia	984	262	113	46 378	148	213	119	11	32	41	• • • •
Sweetbay	3277	2034	351		154	217	72	4 0	8	23.	
Willow Black walnut	524 72	210	157	33	33	4 6	***	***	35	10	
		909	72 179	994	0.1	***	1.7	1.7	• • • •	***	• • • • • • • • • • • • • • • • • • • •
Black cherry	810	292	172	224	91	25	17	15	1.0	20	
American elm Other elms	1914 971	1211 248	188	174 235	250 63	25	0.0	14	13	39	• • • •
			341			26	36	13	11	***	
River birch	542 165	286	219	0.0	***	19	18	1.1	• • • •		
Hackberry Yther leguets	165 270	102	60	88			***	11	• • • •	6	• • • •
Other locusts	270	103	60	5 3	32	22	• • • •	1.1			• • • •
Sassafras	197	81	64		31	***	***	1 1	9	• • • •	
ogwood Talla	384	306	78	0.1	***	***	• • • •		• • • •		
Holly	829	531	202	81	20		•••	1 5		• • • •	• • • •
Other commercial	272	127		91	28	26				111	
Total hardwoods	85267	30932	18965	13558	5711	5717	3915	2263	1595	2267	341
All species	178774	66202	41420	27825	14234	10651	7532	4361	2537	3611	401

Table 34 - Volume of growing stock on timberland by detailed species and diameter class, Southeast Louisiana Parishes, 1991

	Diameter clase (inches at breast height)												
Species	All classes	x 0 - 6.9	7.0- 8.9	<b>9.0-</b> 10.9	<b>11.0-</b> 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 28.9	29.0 <b>&amp;</b> larger		
					• • • • -/	Million cu	bic feet-		• • • • • •				
Longleaf pine	38.0	1.1	1.4	4.7	8.6	5.6	8.8	4.2	2.8	0.7			
Slash pine	1125	a.4	17.0	30.7	30.5	18.2	3.8	3.0	0.8				
Shortleaf pine	33.1	0.9	3.2	7.3	9.9	5.6	5.3		0.6	0.4			
<b>Loblolly</b> pine	858.6	72.5	106.7	121.5	105.0	103.4	105.3	85.8	45.4	104.1	9.0		
Spruce pine	89.7	1:0	2.6	7.5	8.5	11.6	12.8	13.6	12.0	18.4	1.8		
Cypress	123.9	5.6	13.8	15.4	16.7	14.6	15.7	14.4	a.7	16.1	2.8		
Total softwoods	1255.9	89.4	144.7	187.1	179.2	159.1	151.8	121.1	70.2	139.7	13.6		
Select white oaks	47.6	2.1	2.6	6.0	3.0	4.4	5.4	6.6	3.2	12.6	1.8		
Select red oaks	51.4		2.1	1.5	2.3	4.5	7.9	5.3	6.0	13.0	9.0		
Other white oaks	27.3	0.9	3.7	3.1	3.7	2.5	2.5	4.6	1.7	3.6	1.0		
Other red oaks	304.0	14.7	17.5	23.2	24.3	34.5	36.9	23.2	31.5	71.1	26.9		
Sweet pecan	1.0		0.3				0.4		0.3				
Water hickory	12.5		0.8	2.7	1.2	0.7	2.1	2.4	0.7	1.9			
Other hickories	17.5	0.7	0.4	1.9	2.4	3.4	4.1	2.7	1.3	0.6			
ersimmon	0.8	0.3		0.5									
oft maple	27.3	3.9	8.2	3.1	3.4	3.4	2.1	0.4	1.9	0.7			
loxelder	0.3		0.3										
Beech	19.5	0.4		0.8		1.8	2.4	1.9	1.7	8.9	1.5		
weetgum	166.6	14.3	13.6	24.7	17.4	33.3	21.1	17.1	7.1	17.3	0.6		
llackgum	88.8	13.6	21.3	13.8	8.8	10.3	7.4	5.1	4.9	3.5			
Other gums/tupelos	123.4	10.1	21.6	32.6	11.9	17.8	13.2	6.9	5.3	3.2	0 .		
/hite ash	0.5		0.5										
Other ashes	17.9	0.7	1.5	2.3	0.8	2.8	2.1	3.5	2.9	1.3			
Sycamore	10.0		0.4	1.3	1.0	1.6	0.8	2.8	0.6	1.6			
Čottonwood	0.5								0.5				
ellow-poplar	49.3	1.3	1.2	4.5	3.4	4.8	8.0	5.9	6.3	12.6	1.4		
/agnolia	17.9	0.5	0.9	0.5	2.5	4.3	4.0	0.4	2.0	2.9			
Sweetbay	23.2	5.7	2.0	3.9	2.1	4.7	1.8	1.2	0.5	1.4			
Villow	4.5	0.4	0.6	0.3	0.3	1.0			1.5	0.4			
Black walnut	0.3		0.3										
Black <b>cherry</b>	7.0	0.6	1.3	2.3	1.5		0.8	0.5					
american elm	13.9	2.6	1.6	1.6	4.2	0.5		0.6	0.4	2.3			
Other elms	8.8	0.6	1.9	2.4	1.2	0.7	1.2	0.4	0.4				
River birch	3.1	0.8	1.1			0.5	0.7						
łackberry	2.3		0.5	0.9				0.4		0.4			
ther locusts	2.0	0.4	0.5	0.3	0.3	0.5							
assafras	2.2	0.4	0.5		0.4			0.5	0.4				
ogwood	0.8	0.5	0.3										
Iolly	3.2	1.4	0.9	0.6				0.2					
ther commercial	1.7	0.4		0.6	0.4	0.3							
Total hardwoods	1057.2	77.3	108.4	135.5	96.6	138.4	124.7	92.7	81.2	159.2	43.1		
ll species	2313.0	166.7	253.1	322.6	275.8	297.5	276.5	213.8	151.4	298.9	56.6		

Table 35 - Volume of growing stock in the sawlog portion of sawtimber trees on timberland by &tailed species and diameter class, Southeast Louisiana Parishes, 1991

				Diameter	class (inc	ches at br	east height)		
Species	All classes	<b>9.0-</b> 10.9	<b>11.0-</b> 12.9	<b>13.0-</b> 14.9	<b>15.0-</b> 16.9	17.0- 18.9	19.0- 20.9	21.0- 28.9	29.0 <b>&amp;</b> larger
		•• • 4.1••	• • -8.ő • •	Milli	on cubic	feet • • •	2.5		
Longleaf pine	32.8	24.3	27.5	5.4	8.5	3.7	0.8	0.5	
Slash pine	76.2	<i>(</i> 1	0.2			2.7	0.5	0.3	
Shortleaf pine	<b>26.4</b> 611.7	6:1 %.1	9.2 92.3	5.2 95.8	5.1 97.1	81.0	0.5 43.1	0.3 98.0	8.3
Loblolly pine Spruce pine	79.4	5.7	7.9		11.7	13.0	11.5	17.0	1.7
Cypress	91.5	10.5	13.7	<b>10.9</b> 13.2	14.8	13.8	7.8	15.0	2.7
Total softwoods	917.8	146.8	158.6	147.6	140.8	114.2	66.2	130.8	12.7
Select white oaks	30.7		2.3	3.5	4.1	5.4	2.7	11.1	1.6
Select red oaks	40.5	•••	1.5	3.6	6.7	4.6	5.1	11.2 3.1	7.7
Other white oaks Other red oaks	16.2 209.0	•••	3.1 18.1	2.1 28.6	2.0 30.7	3.7 19.1	1.4 26.2	62.4	<b>0.8</b> 24:o
Sweet pecan	0.6		10.1	20.0	0.3	17.1	0.3	02.4	24.0
Water hickory	8.3	:::	1.1	0.6	1.9	2.2	0.6	1.8	
Other hickories	11.1		1.7	2.7	3.1	2.1	1.2	0.4	
Soft maple Beech	9.8 15.4	•••	2.5	<b>2.7</b> 1.5	1.8 2.2	<b>0.4</b> 1.5	1.9 <b>1.3</b>	0.6 7.6	1.2
Sweetgum	93.4		12.3	26.3	17.2	15.1	6.3	15.7	0.6
Blackgum	34.1		6.2	8.6	6.5	4.8	4.6	3.4	
Other gums/tupelos	49.0		8.0	14.2	11.6	6.4	4.9	2.9	0.9
Other ashes	11.0		0.6	2.3	1.5	3.2	2.5	1.1	
Sycamore	7.1 <b>0.4</b>		1.0	1.2	0.7	2.4	0.3 <b>0.4</b>	1.5	
Cottonwood Yellow-poplar	35.0	:::	2.2	3.6	6.6	5.2	5.4	10.9	1.2
Magnolia	13.5	•••	1.9	3.4	3.4	0.4	1.9	2.6	1,2
Sweetbay	9.6		1.7	3.8	1.4	1.1	0.3	1.3	
Willow	2	***	0.3	0.8		0	1.1	0.2	
Black cherry	3:: <b>6.2</b>	***	1.1 2.9	0.4	0.7	0.3 0.4	0.4	2.1	
American elm Other elms	3.2	•••	1.0	0.5	1.0	0.4	0.3	2.1	
River birch	1.1	•••		0.5	0.6				
Hackberry	0.7	***				0.4		0.4	
Other locusts	0.7		0.3	0.4		0.4	0.1		
Sassafras Holly	1.1 0.2	•••	0.3	•••		0.4 0.2	0.4	•••	
Other commercial	0.5		0.3	0.2					
Total hardwoods	613.0		70.1	111.3	104.1	79.8	69.6	140.1	38.0
All species	1530.8	146.8	228.7	258.9	244.9	194.0	135.8	270.9	50.7

Table 36 -- Volume of timber on timberland by detailed species and class of timber, Southeast Louisiana Parishes. 1991

Species	All live	Growing stock	Rough	Rotten
-			on cubic feet • • •	
t amata d			on cubic jeel •••	
Longleaf pine	38.0	38.0	111	***
Slash pine	114.0	112.5	1.5	
Shortleaf pine	33.1	33.1		
Loblolly pine	868.7	858.6	9.3	0.8
Spruce pine	90.2	89.7	0.5	
Cypress	126.6	123.9	2.1	0.5
Total softwoods	1270.6	1255.9	13.4	1.3
Select white oaks	54.3	47.6	3.4	3.3
Select red oaks	55.3	51.4	3.7	0.3
Other white oaks				
Other red oaks	31.0	27.3	3.5	0.2
	342.0	304.0	31.2	6.7
Sweet pecan	2.7	1.0	1.6	0.1
Water hickory	16.2	12.5	3.7	
Other hickories	19.0	17.5	1.5	***
Persimmon	0.9	0.8	0.1	, ···
Soft maple	36.5	27.3	8.5	0.7
Boxelder	0.9	0.3	0.4	0.2
Beech	32.5	19.5	9.0	4.1
Sweetgum	190.2	166.6	21.2	2.3
Blackgum	104.2	88.8	13.1	2.3
Other Sums/tupelos	147.0	123.4	21.2	2.4
Vhite ash	0.5	0.5		
Other ashes	20.8	17.9	2.5	0.4
vcamore	10.0	10.0		
Cottonwood	0.8	0.5	0.3	
Yellow-poplar	51.9	49.3	1.9	0.6
Magnolia	22.8	17.9	2.6	2.2
weetbay	3 <b>6.5</b>	23.2	4.7	2.5
Villow	0.6	23.2  } \{	4.7 03 21 .	
Black walnut		IJ tJ	U AI ,	•••
Black cherry	0.0	7.0	1.5	0.2
American elm	8.6	13.9	1.7	
Other elms	15.5			•••
	10.7	8.8	1.9	
River birch	2.5	3.1	0.6	
Hackberry	2.5	23 20	0.1 0.6	
Other locusts				
assafras	2.3	2.2		0.1
ogwood	2.9	0.8	2.0	217
Iolly	3.7	3.2	0.2	0.4
Other commercial	3.4	1.7	1.3	0.4
Total hardwoods	1233.1	1057.2	146.3	29.7
Noncommercial	53.2	***	53.2	
All species	2556.9	2313.0	212.9	31.0

Table 37-Volume of sawtimber for tree grade 1 on timberland by detailed species and diameter class, Southeast Louisiana Parishes, 1991

				Diame	ter class (inc	ches at breast	height)		
Species	All classes	9.0- 10.9	11.0- 12.9	<b>13.0-</b> 14.9	<b>15.0-</b> 16.9	<b>17.0-</b> 18.9	<b>19.0-</b> 20.9	21.0- 28.9	29.0 <b>&amp;</b> larger
				· Millio	n board fe	et			
Longleaf pine	26.9	5.9		7.4	6.2	3.0	4.4		
Slash pine	18.1	4.3	4.1	6.6	3.1				
Shortleaf pine	57.9	1.9	12.0	19.7	20.9		3.5		•••
Loblolly pine	802.1	38.9	51.1	76.2	131.7	161.8.	47.5	252.9.	42.0
Spruce pine	36.5		3.7		2.6	3.2	6.2	8.6	12.2
Cypress <sup>1</sup>	90.3	8.2	12.5	14.4	3.4	22.1	12.0	17.6	
Total softwoods	1031.9	59.3	83.3	124.3	167.9	190.1	73.6	279.2	54.2
Select white oaks	20.7					2.8	6.7	11.1	
Select red oaks	95.3					14.0	17.2	43.7	20.4
Other white oaks	7.3					4.7		2.6	
Other red oaks	139.8				3.6	9.6	28.2	63.8	34.6
Water hickory	2.6				2.0			2.6	
Other hickories	4.3						4.3		
Soft maple	3.4						3.4		***
Beech	27.1				3.6		2.3	18.0	3.2
Sweetgum	27.8				2.6	6.1	9.9	9.2	
Blackgum	11.9		•••	•••		7.4	2.3	2.3	
Other gums/tupelos	26.1	•••	•••		3.0	2.6	9.4	6.9	4.3
Other ashes	8.7	••				5.9	2.8		
Other asiles	0.7	•••	•••	•••	•••	3.7	2.0		
Wathawamalan	42.3				3.2.	10.8	6.6	16.4.	5.4
Sydhomorpoplar Magnelia	9.5	111	111	111			3.4	6.0	3.4
Magnolia		•••	•			2.9			
Sweetbay	2.9	•••				2.9	•••	8.2	
American elm	8.2	•••			• • • •			2.2	
Hackberry	2.2	***		***	•••			2,2	***
Total hardwoods	447.6			***	16.0	74.1	96.7	193.0	67.8
All species	1479.4	59.3	83.3	124.3	183.9	264.1	170.3	472.2	122.0

Table 38 - Volume of sawtimberfor tree grade 2 on timberland by detailed species and diameter class, Southeast Louisiana Parishes, 1991

				Diameter	class (inche	es at breast l	height)		
Species	All classes	<b>9.0-</b> 10.9	<b>11.0-</b> 12.9	<b>13.0-</b> 14.9	<b>15.0-</b> 16.9	<b>17.0-</b> 18.9	<b>19.0-</b> 20.9	<b>21.0-</b> 28.9	29.0 <b>&amp;</b> larger
				Milli	on board f	eet			
Longleaf pine	83.0	10.0	21.3	18.4	23.5	5.2	4.6		
Slash pine	28.6	10.0	15.3	***	***	3.3	***		
Shortleaf pine	41.3	18.0	10.0	3.9	9.3		78.0		
Loblolly pine	749.4	43.4	67.2	116.2	108.8	143.9	20.2	184.2	7.7
Spruce pine	116.3	11.9	19.5	27.2	10.5	3.9		23.1	
Cypress	148.0	10.8	19.6	22.2	31.0	22.8	7.6	30.7	3.2
Total softwoods	1166.6	104.0	153.1	187.9	183.2	179.1	110.4	238.0	10.8
Select white oaks	49.1			1.6	11.3	10.3	4.6	20.0	1.3
Select red oaks	55.5			10.8	25.0		2.7	2.0	15.0
Other white oaks	11.2				2.7		4.1	4.4	***
Other red oaks	120.3			13.4	13.9	14.9	26.4	42.5	9.3
Sweet pecan	2.3						2.3		
Water hickory	3.1			***	***	3.1			
Other hickories	16.3	***		8.2	5.2		2.9		
Soft maple	9.9			1.6			4.2	4.0	:::
Beech	2.4	***		***		***	***		2.4
Sweetgum '	152.2			43.5	37.7	24.1	17.2	29.9	
Blackgum	50.6	•••	***	11.3	10.9	6.8	15.3	6.3	
Other gums/tupelos	71.6			25.1	31.9	8.3	5.2	1.1	:::
Other ashes	24.1			8.6	6.3				
Sycamore	8.3			5.0	***	***	9.3	3.2	
Yellow-poplar	28.7			5.1	***	9.6	6.2	7.7	
Magnolia	4.6			***	2.1			2.5	
Sweetbay	9.1			3.0	2.8			3.3	
Black cherry	4.3	***		***	4.3			***	
Other elms	3.5				3.5	***		***	
River birch	2.5			2.5			** 1	44.0	
Total hardwoods	629.7			139.6	157.6	77.1	100.6	126.9	28.0
All species	1796.3	104.0	153.1	327.5	340.8	256.2	211.0	364.9	38.8

Table 39 - Volume of sawtimberfor tree grade 3 on timberland by detailed species and diameter class, Southeast Louisiana Parishes, 1991

				Diame	eter class (inc	ches at breas	t height)		
Species	All classes	9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	<b>21.0-</b> 28.9	29.0 <b>&amp;</b> larger
Species				•••• Millio	on board fo	eet • • • • •			
Longleaf pine	85.3	7.3	26.7	7.3	21.3	13.0	6.2	3.5	
Slash pine	373.0	113.1	135.5	89.2	16.0	14.2	5.0	``	
Shortleaf pine				00.2	10.0	11.2	5.0	•••	
Lobiolly pine	2169.5	438.6	4236.34	392.7	35 <b>2L%</b>	203.2	143.1	210.3.	8.0
Spruce pine	350.7	19.7	24.9	42.1	63.8	80.2	43.5	76.6	0.0
Cypress	223.2	28.0	39.1	33.0	46.0	27.0	22.6	25.0	2.5
Total <b>softwoods</b>	3267.9	623.7	683.9	574.5	501.8	337.7	220.4	315.4	10.5
Select white oaks	74.3		6.1	12.9	10.0	15.5	0.6	24.1	5.2
Select write baks	61.8		4.8	75	13.7	8.3	6.4	13.9	7.1
Other white oaks	53.7		9.2	10.9	7.7	11.0	1.6	8.1	5.2
Other red oaks	529.4		52.2	80.5	91.6	57.6	65.3	144.8	37.4
Sweet pecan	1.7				1.7				07.1
Water hickory	26.6		6.3	4.0	9.4	3.8		3.1	
Other hickories	27.7		4.1	3.6	9.1	8.3		2.7	
Soft maple	~			0.0	0.1	0.0		₩. I	
Beech	32.6		6.0.	120.11	76.54	2.3.	3.0.	13.4	2.7
Sweetgum	235.7		44.0	75.1	39.9	35.4	6.7	31.2	3.3
Blackgum	88.3	•	27.7	32.1	12.7	4.2	3.9	7.8	
Other gums/tupelos	119.1		35.6	37.6	22.2	13.2	9.0	1.5	
Other ashes	24.4		2.8	1.2	1.7	11.9	3.0	3.8	
ycamore	16.6		6.1	1.2	4.7	2.8		3.1	***
Cottonwood	2.4		0.1				2.4		***
Yellow-poplar	103.6		11.3	11.1	19.9	12.1	21.0	28.2	:::
Magnolia	43.0		10.4	11.6	12.5		3.5	4.9	
Sweetbav	27.2		5.8	13.8	4.1	1.4	2.2		***
Willow	10.4		1.5	2.2			6.7	•••	
Black cherry	7.0		5.0		•••	2.0			
American elm	21.4		16.2	2.1	•••		1.5	1.6	
Other elms	12.5		6.0	2.7	•••	1.6	2.1		:::
Sassafras	3.8		1.5		111		2.1		***
Other commercial	1.2		1.2				2.3		
Total hardwoods	1545.3	***	263.6	321.2	274.8	191.5	141.0	292.3	60.9
All species	4813.2	623.7	947.5	895.6	776.7	529.2	361.5	607.7	71.4

**Table 40 – Volume of sawtimber for** tree grade 4 on timberland by detailed species and diameter class, Southeast Louisiana Parishes, 1991

				Diame	ter class finch	nes at breast	height)		
Species	All classes	<b>9.0-</b> 10.9	<b>11.0-</b> 12.9	<b>13.0-</b> 14.9	<b>15.0-</b> 16.9	<b>17.0-</b> 18.9	<b>19.0-</b> 20.9	21.0- 28.9	29.0 <b>&amp;</b> larger
					Million boa	ırd feet			
Select white oaks	27.6	***	6.8	6.1	2.3	4.3	***	8.1	
Select red oaks	19.8	***		3.7		5.4	4.4	6.3	
Other white oaks	20.7	***	7.5	1.8	1.9	3.0	35	3.0	
Other red oaks	3335	•••	44.4	62.8	58.6	25.8	27.5	81.2	33.3
Water hickory	13.6	***			3.0	7.0	3.6		
Other hickories	12.0	***	3.1	1.7	3.7	3.5			
Soft maple	10.8	***	7.9				2.9		
Beech	24.6	•••		6.9	2.3	2.4		13.1	
Sweetgum	55.9		20.3	16.7	3.6	11.7		3.6	
Blackgum	13.8		2.4		6.5	2.6		2.4	
Other gums/tupelos	20.0		0.9	7.6	3.6	5.5		2.3	
Other ashes	3.6	***		3.6					
Sycamore	1.7		***			***	1.7		
Yellow-poplar	4 19.2		111	2.4	10.1	***		6.8	
Magnolia	9.6			1.4	4.0	***	4.2		***
Sweetbay	3.9	***	1.4	2.5					
Willow	3.6	***	***	2.1				1.5	
American elm	2.8	•••	•••		41	2.8			
Hackberry	2.0			***	***	2.0			
Other locusts	1.5	***	1.5	***	***			•••	
Total hardwoods	600.3		96.2	119.3	99.6	75.9	47.9	128.2	33.3
All species	600.3		96.2	119.3	99.6	75.9	47.9	128.2	33.3

**Table 41**— Volume **of** sawtimber on timberland by species and ownership class, Southeast Louisiana Parishes, 1991

Species	<b>All</b> ownerships	National forest	Other public	Forest industry	Forest industry- leased	Other private
			-Million bo	ard feet		
Yellow pines Cypress	5164.1 493.2		263.5 31.1	1165.0 60.8	174.9 4.4	3560.8 <b>396.9</b>
Total softwoods	5657.3	***	294.6	1225.8	179.2	3957.6
Select white-red oaks Other white-red oaks Hickory Sweetgum Tupelo and blackgum Ash-walnut-black cherry Yellow-poplar Other hardwoods	429.9 1337.7 118.5 527.3 431.2 74.7 209.0 409.3		10.4 16.9  7.8 12.9  4.7 0.7	52.5 387.1 3.7 126.8 55.9 15.8 19.3 69.9	14.1 29.9 8.7 8.5 8.9 4.4 	353.0 903.8 106.0 384.2 353.5 54.5 185.1 334.1
Total hardwoods	3537.6		53.4	731.1	79.0	2674.1
All species	9194.8	***	348.0	1956.8	258.2	6631.8

Table 42—Average net annual growth, average annual removals, and average annual mortality of live trees' by parish and species group, Southeast Louisiana Parishes, 1991

		Net grov	vth		Removals			Mortality	1
Parish	All species	softwood	Hardwood	All species	Softwood	Hardwood	All species	softwood	Hardwood
				M	Tillion cubic	feet			
East Baton Rouge	8.3	1.2	7.1	0.8		0.8	2.1		2.1
East Feliciana	13.4	7.7	5.7	17.3	16.0	1.4	3.8	2.4	1.4
Livingston	24.2	18.2	6.0	23.9	19.5	4.3	6.2	1.9	4.3
St. Helena	16.4	11.8	4.6	11.3	9.1	2.2	2.5	1.7	0.8
St. Tammany	18.7	12.7	6.0	14.9	13.4	1.5	4.6	1.4	3.2
Tangipahoa	17.3	12.9	4.3	26.7	21.8	4.8	3.2	0.6	2.6
Washington	19.3	12.8	6.5	205	17.7	2.8	5.3	2.3	3.0
All parishes	117.5	77.3	40.2	115.4	97.6	17.8	27.7	10.3	17.4

<sup>&#</sup>x27;Excludes trees less than 5.0 inches in diameter at breast height.

Table 43 -Average net annual growth, average annual removals, and average annual mortality of live trees' by ownership class and species group, Southeast Louisiana Parishes, 1991

		Net grov	vth		Removals		Mortality			
Ownership class	All classes	softwood	Hardwood	All species	softwood	Hardwood	All species	softwood	Hardwood	
1				M	illion cubic	feet- • • • • •				
Other public industry Forest industry-leased Other private	2.5 42.4 4.5 68.1	1.7 32.7 4.1 38.9	0.9 9.7 0.4 29.3	4.2 <b>25.3</b> 4.9 81.1	3.4 21.2 4.9 68.1	0.8 4.1 13.0	1.1 6.3 0.9 19.4	0.9 2.5 0.3 6.6	0.3 3.7 0.6 12.8	
<b>All</b> ownerships	1175	77.3	40.2	115.4	97.6	17.8	27.7	10.3	17.4	

<sup>&#</sup>x27;Excludes trees less than 5.0 inches in diameter at breast height.




Figure 1. -Area of timberland by forest type, Southeast Louisiana, 1984 and 1991.




Figure 2. -Area of timberland by stand-size class, Southeast Louisiana, 1984 and 1991.




Figure 3. – Volume of live trees on timberland by species group and class of timber, Southeast Louisiana, 1984 and 1991.




Figure 4. -Average net annualgrowth and average annual removals Of live softwood trees on timberland, Southeast Louisiana, 1984 and 1991.




Figure 5. -Average net annual growth and average annual removals of live hardwood trees on timberland, Southeast Louisiana, 1984 and 1991.




Figure 6. - Volume of live softwood trees on timberland by diameter class, Southeast Louisiana, 1984 and 1991.




Figure 7. -Volume of live hardwood trees on timberland by diameter class, Southeast Louisiana, 1984 and 1991.




Figure 8. -Number of live softwood trees on timberland by diameter class, Southeast Louisiana, 1984 and 1991.




Figure 9. -Number of live hardwood trees on timberland by diameter class, Southeast Louisiana, 1984 and 1991.

Rosson, James F., Jr.; Miller, Patrick E.; Vissage, John S. 1991. Forest statistics for Southeast Louisiana parishes — 1991. Resour. Bull. SO- 162. New Orleans, LA: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 33 p.

Tabulates forest resource information from a new inventory of the Southeast parishes of Louisiana.

Keywords: Area, forest type, ownership, stand size, and volume.

Persons of any race, color, national origin, sex, age, religion, or with any handicapping condition are **wclcome** to use and enjoy all facilities, programs, and services of the USDA. Discrimination in any form is strictly against agency policy, and should be **reported** to the Sccrctary of Agriculture, Washington, DC 20250.